

Subject Index to Volume 11

A

Acetate, pyruvate oxidation, adrenergic stimulation, myocardial (guinea pig), H30

Action potentials: *see* Potentials

Activation sequence, atrial, anatomic landmarks and, H421

Acyl carnitine esters, transport, heart, H585

Adenosine

- calcium uptake and, vascular smooth muscle, H797
- coronary resistance and, conscious exercise, H24
- free-flow functional hyperemia and, striated muscle (hamster), H688

Adenosine deaminase, hyperemia and, striated muscle (hamster), H688

Adenosine diphosphate, platelet aggregation and, fluid balance, lung (sheep), H645

Adenosine triphosphatase, oligomycin-sensitive mitochondrial, myocardial ischemia (pig), H254

Adenosine triphosphate

- ischemia, myocardial function and, newborn, H1077
- phosphorus nuclear magnetic resonance spectroscopy, cardiac and skeletal muscle, H729

Adenosine 5'-triphosphate antimycin A, cardiac function and, H79

Adipose tissue, vascular resistance, sympathetic activity and, tilting effects, H161

ADP: *see* Adenosine diphosphate

Adrenal gland, demedullation, catecholamines and, H1015

Adrenal medulla, epinephrine, neurotransmitter role, H593

Adrenergic control, oxygen delivery, myocardium, exercise, awake state, H805

Adrenergic receptors: *see* Receptors

β -Adrenergic relaxation, protein kinase and, arterial smooth muscle, coronary, H177

Adrenergic stimulation, pyruvate oxidation, energy-linked changes, perfused heart (guinea pig), H30

Adrenoceptors: *see* Receptors

Aging

- bone, chondroosseous blood flow and, H365
- myocardial, review of, H927

Albumin

- excluded volume
- increased venous pressure and, skin, H1038
- increased venous pressure and, muscle, H1044
- serum, colloid osmotic pressure, isogravimetric hindlimb, H512

Ammonia, N-labeled, myocardial extraction, H536

Anemometry, fiber-optic laser Doppler, coronary sinus blood flow, H1111

Anesthesia, angiotensin, vasopressor and depressor actions (chicken), H314

Angiotensin

- receptors: *see* Receptors

- vasopressor and depressor actions, anesthesia (chicken), H314

Angiotensin antagonists

- anesthesia (chicken), H314
- uteroplacental blood flow, pregnancy, H142

Angiotensin II, vasopressin and neurogenic mechanism interaction, hypertension, H37

Anoxia

- carnitine transport, heart, H585
- myocardial function during, coronary artery occlusion, H980

Antidiuretic hormones, spontaneous hypertension, brain, H496

Antihistamines, hyperosmolar-induced vasodilation, H450

Aorta

- constriction, myocardial oxygen extraction and, H310
- insufficiency, increased inotropic state, H973

Aortic arch, chemoreceptor stimulation, hindlimb vein response, H1050

Aortic flow, ascending, atrioventricular block and, awake state, H1118

Aortic nerve

- denervation, fetal (lamb), H916
- stimulation, cardiovascular responses to, H790

Aprotinin, uteroplacental blood flow, pregnancy, H142

Arrhythmias, postcountershock, defibrillator waveform safety factor, H662

Arterial pressure: *see* Pressure

Arterial wall, changes, renal hypertension, H477

Arteries: *see also* specific artery

- hypertensive, mechanical property changes, H477

Arterioles

- afferent, diameter, spontaneous hypertension, H961
- microvascular, heat stress and, cremaster muscle, H996
- pial, fatty acids and cyclooxygenase and, H629
- spontaneous hypertension and, cremaster muscle, H381
- striated muscle, adenosine effects, hyperemia (hamster), H688
- vascular smooth muscle, tetrodotoxin effects, H967

Aspirin, pial arterioles and, H629

ATP: *see* Adenosine triphosphate

ATPase: *see* Adenosine triphosphatase; Sodium-potassium-ATPase

Atria: *see* Heart atria

Atropine

- aortic constriction and, myocardial oxygen extraction, H310
- cerebral vasodilation and, hypercapnia, H683

Automaticity

- epinephrine effects, ventricular pacemaker, H677
- spontaneous, intracellular recordings, H1115

Autonomic regulation, cardiac pacemakers, H98

Autoperfusion, gracilis muscle, H713

Autoradiography, collateral circulation, development of, H1031

Autoregulation

- arteriovenous shunts, spontaneous hypertension, H722
- intestinal, pulsatile pressure and metabolic rate effects, H769

Awake state

- aortic insufficiency, increased inotropic state, H973
- cardiac denervation, left atrial stretch effects, H1056
- cardiac output control, atrioventricular block and, H1118
- cardiovascular changes, H810
- coronary artery occlusion, DNA synthesis in coronary collaterals, H1031
- coronary resistance, adenosine and, H24
- oxygen delivery, adrenergic control of, myocardium, exercise, H805
- reflexes, atrial and pulmonary stretch receptors, H1065
- thyrotoxicosis, left ventricular performance in (calf), H113

B

Bacteremia, transvascular fluid balance during, fibronectin effects, intestines, H557

Barium, calcium paradox and, H203

Baroreceptor reflex: *see* Reflexes

Baroreceptor: *see* Receptors

Baroreflex: *see* Reflexes

Beta probe, positron-emitting tracers, myocardial metabolism, H62

Bezold-Jarisch reflex: *see* Reflexes

Biogenic amine, extraction, flow dependence of, lung, H844

Blockade

- atrioventricular, cardiac output control and, awake state, H1118
- ganglion, pressor responses, vasopressin, hypertension, H44
- H₁ and H₂, hyperosmolar-induced vasodilation, H450

Blood

- artificial substitutes, working heart, H485
- oxygen: *see* Oxygen
- velocity, coronary sinus, measurement of, H1111

Blood flow: *see also* Circulation; Microcirculation

- aortic, aortic baroreceptor responses and, H520
- bone, regional, H365
- cerebral, carbon dioxide tension and, fetal, newborn and adult (sheep), H862
- chronic reduction, uterine, pregnancy (sheep), H297
- coronary

 - adenosine and, conscious exercise, H24
 - determination by microspheres, H94
 - myocardium, exercise, awake state, H805

- cremaster muscle (hamster), H211
- dexamethasone and, ischemic myocardium, H55

- Blood flow (*continued*)
ductus venosus, hemorrhage effects, umbilical, fetus (lamb), H543
intestinal
absorptive hyperemia and, H785
fetal (lamb), H50
pulsatile pressure and metabolic rate effects, H769
measurement, coronary sinus, H1111
myocardial
coronary stenosis and, H260
infarct size and risk area relations, H867
organ, arteriovenous shunt, H722
regional
bypass, lung thromboxane effects (sheep), H462
measurement by microsphere method (gerbil), H990
renal
atrial receptors and, H220
spontaneous hypertension, H961
steady-state exercise hyperemia, potassium and osmolality effects, H949
submandibular gland, kallikrein-kinin system and, H1010
tilting effects, H161
uterine, placental transfer as a function of (ewe), H429
uteroplacental, kinins and, pregnancy, H142
Blood pressure: *see also* Pressure control, aortic baroreceptor responses and, H520
systolic and diastolic, noninvasive measurement (swine), H127
Blood vessel, spontaneous hypertension, vascular smooth muscle, H751
Blood volume: *see also* Volume circulating, endotoxic shock, H172
interstitial fluid dynamics and, renal hypertension, awake state, H376
pulmonary impedance and, H197
Bone
chondroosseous blood flow, regional, H365
potassium and strontium exchange, H705
Bradykinin, epicardial, cardiac sympathetic afferents and, H148
Brain, spontaneous hypertension, vasopressin and, H496
Brain stem, vasopressin content, spontaneous hypertension, H496
Brain ventricles, third, anteroventral region, epinephrine uptake, H593
Bypass: *see also* Shunt
blood flow during, lung thromboxane effects (sheep), H462
C
Cadmium telluride, kinetics, regional myocardial, H849
Caffeine, inhibition, ventricular contraction, H349
Calcium
activator, myocardial, neonatal, H834
antagonist, diltiazem, mesenteric artery, H325
channel blockers, platelet α -adrenergic receptors, H19
comparative response, developing myocardium, H13
contractile activation, cerebral artery, H760
inorganic phosphate effects, cardiac function, H79
low, solutions, cardiac slow channel activation (frog), H827
metabolism, heart cells, H1022
permeability: *see* Permeability
sarcoplasmic reticulum, heart failure, H855
uptake, adenosine effects, vascular smooth muscle, H797
Calcium ions
exchange, reoxygenation and, hypoxia, myocardium, H437
paradox, barium effects, H203
cAMP: *see* Adenosine monophosphate, cyclic
Capacitance
aortic arch, hindlimb vein, H1050
hepatic, active responses, neural and humoral stimuli, H1000
Capacity, vascular, tissue volume, monitoring device, H698
Capillaries
colloid osmotic pressure, isogravimetric hindlimb, H512
density, timed plasma staining, myocardium, H133
network geometry, red cell distribution, cremaster muscle (hamster), H211
single, fluid exchange across, intestinal muscle, H268
spontaneous hypertension and, cremaster muscle, H381
Capsaicin, injection, cardiovascular depression and, liver, H955
Captopril, blood flow and, salivary glands, kinin effects, H1010
Carbohydrates, consumption, hypoxemia, fetus (sheep), H657
Carbon dioxide, tension, cerebral blood flow and, fetal, newborn and adult (sheep), H862
Cardiac cells: *see also* Heart cells; Myocardial cells
sarcomere length and, direct measurement, H68
skinned, signal averager, H291
Cardiac function
cardiomyopathic injuries, H191
ischemia and, newborn, H1077
thyrotoxicosis, left ventricular performance in (calf), H113
Cardiac muscle: *see* Muscle, heart
Cardiac output
control, atrioventricular block and, awake state, H1118
coronary blood flow determinations, microspheres, H94
positive end-expiratory pressure, ventricular dimensions, H549
reflexes, atrial vs. pulmonary stretch, H1065
Cardiac slow channels, activation, low-calcium solutions (frog), H827
Cardiomyopathy, norepinephrine-induced, ventricular function after, H191
Cardioplegia, magnesium effects, ischemic heart, species differences (rat, rabbit), H89
Cardiovascular changes, veratridine, awake state, H810
Cardiovascular responses, aortic nerve stimulation, H790
Carnitine, transport, isolated perfused heart, H585
Carotid sinus
atrial receptors, renal blood flow and, H220
baroreflex, vagotomy and, H580
deformation, planimetric technique for measuring, H921
pressure, aortic nerve stimulation, H790
Catecholamines
adrenal medullary, neurotransmitter role, H593
myocardial cell hypertrophy and, hypertension, H1015
potassium accumulation and, ischemia, heart, H619
release, angiotensin and, anesthesia (chicken), H314
Catechol methyltransferase, synaptic cleft, vascular tissue, H233
Catheter, drift, pressure signal multiplexer, H288
Catheterization, left-atrial, blood flow determination, microspheres, H94
Cations, vascular, components, smooth muscle, H751
Cell: *see also* specific type and site components, sodium, vascular smooth muscle, H751
Cerebral artery, calcium-dependent contractile activation, quick stretch, H760
Chlorisondamine chloride, ganglion blockade, pressor responses to vasopressin, hypertension, H44
Chlorpromazine, sarcolemmal lipids, inhibition of, H652
Cholesterol, mitochondrial content, membrane properties and, myocardial ischemia (pig), H254
Cholinergic nerves, atropine effects, hypercapnia, H683
Chondroosseous circulation: *see* Circulation
Chordae tendineae, fluid dynamics, heart, mathematical model, H1095
Chromatography, ion exchange, coronary arterial smooth muscle, H177
Chronotropic response, cardiac, glucagon effects, vagal stimulation, H7
Cinefluorography, biplane, positive end-expiratory pressure, ventricular dimensions, H549
Circulation: *see also* Blood flow; Microcirculation
chondroosseous, tibia and femur, H365
collateral, coronary artery occlusion and, awake state, H1031
mesenteric, pulsatile pressure and metabolic rate effects, H769
Clearance
norepinephrine, lung, H844
placental, uterine blood flow and (ewe), H429
Collagen
arterial wall changes, renal hypertension, H477
protein exclusion
venous pressure and, muscle, H1044
venous pressure and, skin, H1038
pulmonary arteries, mechanics and composition, H245
Colloid osmotic pressure: *see* Pressure
Compliance
diastolic, left ventricular hypertrophy, myocardial, H633
hepatic, active capacitance, H1000
tissue, renal hypertension, awake state,

- H376
Computer studies: *see* specific subject and site; *see also* Models
Conduction velocity, atrial, anatomic landmarks and, H421
Connective tissue
arterial wall properties, renal hypertension, H477
pulmonary arteries, mechanics and composition, H245
Contraction: *see* Muscle
Converting enzyme inhibitor
submandibular gland blood flow, H1010
uteroplacental blood flow, pregnancy, H142
Coronary artery
disease, acute regional ischemia and, H240
occlusion
dexamethasone effects, H55
DNA synthesis in coronary collaterals, awake state, H1031
myocardial function and metabolism during, H980
Coronary collaterals, DNA synthesis in, coronary artery occlusion, awake state, H1031
Coronary endothelium, ischemia, acute myocardial, H337
Coronary occlusion, circumflex, renin release, inhibition of, H107
Coronary resistance: *see* Resistance
Coronary sinus
blood flow, measurement, H1111
microsphere loss, left ventricular myocardium, H392
Coupling
excitation-contraction
myocardial aging and, H927
myocardium, neonate, H834
Creatine kinase
myocardial, dexamethasone effects on blood flow, H55
phosphorus nuclear magnetic resonance spectroscopy, cardiac and skeletal muscle, H729
Creatine phosphate
myocardial nucleotide depletion, ischemia, open chest, H818
phosphorus nuclear magnetic resonance spectroscopy, cardiac and skeletal muscle, H729
Cremaster muscle
capillary network geometry, red cell distribution and (hamster), H211
heat stress, arteriolar vasoconstriction and, H996
hyperemia and, adenosine effects (hamster), H688
spontaneously hypertensive, erythrocyte and plasma distribution in, H381
Cyclic nucleotides: *see* Nucleotides, cyclic
Cyclooxygenase inhibitors, pial arteriole effects, H629
- D**
Defibrillator, waveforms, safety factor for, heart cells, H662
Denervation
cardiac, atrial stretch effects, H1056
carotid, fetal (lamb), H916
Depressor nerve, blood flow and pressure changes, aortic, H520
- Desoxycorticosterone
hypertension
baroreflexes and vasopressin in, H44
vasopressin and neurogenic mechanism interaction during, H37
Development: *see also* Maturation
carbon dioxide tension, cerebral blood flow and, fetal, newborn and adult (sheep), H862
left ventricular hypertrophy, diastolic stiffness in, myocardial, H633
myocardial responses, inotropic agents, H13
Dexamethasone, blood flow and, ischemic myocardium, H55
Diabetes
inhibition of contractility, insulin effects, heart, H490
triacylglycerol metabolism, heart, H1084
Diastolic stiffness: *see* Stiffness
Diltiazem, smooth muscles and neuromuscular junction, mesenteric artery, H325
Diphenylhexatriene fluorescence polarization, myocardial ischemia (pig), H254
2,3-Diphosphoglycerate, erythrocyte levels, postnatal regulation of, H500
DNA, synthesis, coronary collaterals, awake state, H1031
DOC: *see* Desoxycorticosterone
Doppler ultrasound, noninvasive measurement, systolic and diastolic blood pressure (swine), H127
- E**
Edema
pulmonary
histamine effects, H565
prostacyclin effects, lung lobes, H745
venous pressure and, muscle, H1044
Elastin
arterial wall changes, renal hypertension, H477
pulmonary arteries, mechanics and composition, H245
Electrocardiography, high-frequency, QRS duration measurement, H507
Electrolytes
arterial wall changes, renal hypertension, H477
content, pulmonary arteries, H245
Electromagnetic flowmeter, cardiac output control, atrioventricular block and, awake state, H1118
Embryo, safety factor, defibrillator waveform, H662
Endothelial cell, damage, monocrotaline and, H573
Endothelial vesicles, pulmonary, macromolecular transport, H882
Endotoxin shock: *see* Shock
Energetics
heart, pressure load vs. volume load, H942
muscle, skeletal and cardiac, Fenn effect, H1
Energy charge, contracture and, heart cells, H1022
Energy state
inorganic phosphate effects, heart, H79
potential, pressure and volume load, heart, H942
Epinephrine
active capacitance and, hepatic, H1000
- adrenergic effects, pacemakers, ventricular, H677
neurotransmitter role, adrenal medulla, H593
platelet aggregation, verapamil effects, H19
Equations: *see* Models
Erythrocytes
distribution
capillary network geometry and, muscle (hamster), H211
spontaneously hypertensive cremaster muscle, H381
metabolism, postnatal regulation of, H500
Excitation-contraction coupling: *see* Coupling
Exercise
coronary resistance, adenosine and, H24
hyperemia, adenosine and, striated muscle (hamster), H688
oxygen delivery, adrenergic control of, myocardium, awake state, H805
steady-state, hyperemia, potassium and osmolality effects, H949
treadmill, coronary resistance, adenosine and, H24
Exocrine glands, kallikrein, plasma, radioimmunoassay for, H602
Extracellular marker, cobaltic EDTA, heart, H671
- F**
Fatty acids
intermediates, sodium-potassium-ATPase activity and, cardiac sarcolemma, H456
unsaturated, pial arteriole effects, H629
Femur, chondroosseous circulation, regional, H365
Fenn effect, muscle energetics and, H1
Fetus: *see also* Placenta; Pregnancy
carbon dioxide tension, cerebral blood flow and (sheep), H862
hypoxemia, myocardial metabolism during (sheep), H657
oxygen consumption, intestinal (lamb), H50
oxygen delivery and venous return, hemorrhage effects, umbilical (lamb), H543
placental transfer, uterine blood flow and (ewe), H429
sinoaortic denervation, in utero (lamb), H916
Fibronectin, deficiency, fluid balance and, intestinal, sepsis, H557
Filtration, hepatic, active capacitance and, H1000
Filtration coefficient
capillary, colloid osmotic pressure, hindlimb, H512
fluid exchange, intestinal muscle, H268
Flow
ammonia, myocardial, H536
arteriolar, gracilis muscle, H713
capacitance response to, hepatic, H1000
dependence, norepinephrine extraction, lung, H844
urine
atrial stretch effects, H1056
atrial vs. pulmonary stretch, H1065
venous, gracilis muscle, H713
visualization, branched elastic transparent vessels, model, H122

Fluid

- balance, transvascular, sepsis, H557
 - dynamics, mitral valve, H1095
 - exchange, intestinal muscle, H268
 - filtration, histamine effects, lung and forelimb, H565
 - interstitial
 - renal hypertension, awake state, H376
 - space, extracellular marker, heart, H671
 - lung, balance, platelet aggregation and (sheep), H645
 - transcapillary, protein movement and, H227
- Fluorescence, NADH, coronary artery occlusion, H980
- Fluorocarbons
- macromolecular transport, pulmonary endothelium, H882
 - perfusion, isolated working heart, H485
- Fluosol-43, perfusion, isolated working heart, H485
- Force development, pulmonary arteries, mechanics and composition, H245
- Forelimb, permeability: *see* Permeability
- Frequency distribution, intercapillary distances, myocardial, H133

G

- Ganglia, blockade: *see* Blockade
- Ganglion, superior cervical, sinusual afferents in, H168
- Gastrocnemius-plantaris muscle, steady-state exercise hyperemia, potassium and osmolality effects, H949
- Glucagon, cardiac chronotropic response and, vagal stimulation, H7
- Glycocalyx, barium effects, calcium paradox, H203
- Glycosides, cardiac, potassium accumulation and, ischemia, H619
- Gracilis muscle, macro- and microvascular variables, concurrent study, H713

H

Heart

- block, epinephrine effects, ventricular pacemaker, H677
- capillary density, timed plasma staining, H133
- carnitine transport, H585
- coronary artery occlusion, myocardial function during, H980
- denervated, left atrial stretch effects, awake state, H1056
- extracellular marker, cobaltic EDTA, H671
- failure, load dependence during, H855
- function
 - inorganic phosphate effects, H79
 - working, perfused with Fluosol-43, H485
- ischemic, magnesium effects, species differences (rat, rabbit), H89
- microsphere loss from, H392
- myocardial ischemia, extracellular potassium accumulation during, H619
- on-line mapping, video and multiplex techniques, H526
- performance, therapy effects, spontaneous hypertension, H776
- pressure and volume loaded, oxygen consumption rate and, H942
- puncture, blood flow measurement, microsphere method (gerbil), H990

- slow channels, low-calcium solutions (frog), H827
 - sympathetic afferents, epicardial bradykinin effects, H148
 - takeoff potentials, intracellular recordings, H1115
 - triacylglycerol metabolism, diabetes, H1084
 - ultrastructure, thyrotoxicosis (calf), H113
 - working
 - perfusion with Fluosol-43, H485
 - pyruvate oxidation during adrenergic stimulation (guinea pig), H30
- Heart atria
- activation sequence, anatomic landmarks and, H421
 - left, catheterization, microspheres, H94
 - pacemaker activity, characterization of, H98
 - stretch effects, cardiac denervation, awake state, H1056
- Heart cells: *see also* Cardiac cells; Myocardial cells
- contracture, anaerobic to aerobic transition, H1022
 - defibrillator-induced damage, safety factor for, H662
 - swelling, dexamethasone effects, H55
- Heart rate
- aortic nerve stimulation and, H790
 - atrial stretch effects, denervated heart, H1056
 - control, atrioventricular block and, awake state, H1118
 - glucagon effects, vagal stimulation, H7
 - reflexes, atrial vs. pulmonary stretch, H1065
 - resting, atrial pacemaker, H98
- Heart valves, prosthetic, fluid dynamics in, mathematical model, H1095
- Heart ventricles
- contractility, α -adrenoceptor stimulation and (lamb), H405
 - contraction, theophylline inhibition of, H349
 - dimensional analysis, positive-pressure ventilation, H549
 - function, norepinephrine-induced injury, H191
 - interdependence, pressure overload and, H611
 - mechanics
 - aortic insufficiency, H973
 - myocardial stress, H875
 - pacemaker, epinephrine effects, H677
 - pacing, atrioventricular block and, awake state, H1118
 - performance, acute regional ischemia, H240
 - pressure and volume loaded, oxygen consumption rate and, H942
- Heart ventricles, left
- hypertrophy, diastolic stiffness, myocardial, H633
 - microsphere loss, acute and chronic, H392
 - performance
 - endotoxemic shock, H172
 - right ventricular pressure overload, H611
 - thyrotoxicosis, awake state (calf), H113
 - pressure fall, H131
- Heart ventricles, right
- optimum load, pulmonary impedance and, H154
 - pressure overload, left ventricular

- performance during, H611
- Heat, stress, arteriolar vasoconstriction, cremaster muscle, H996
- Hematocrit
- capillary, cremaster muscle (hamster), H211
 - histamine effects, lung and forelimb permeability, H565
- Hemodynamics, pulmonary, platelet aggregation and (sheep), H645
- Hemoglobin, function, postnatal regulation of erythrocyte metabolism, H500
- Hemorrhage
- quick mild, carotid sinus baroreflex, vagotomy and, H580
 - venous return and oxygen delivery, umbilical, fetus (lamb), H543
- Hepatic nerve, anterior, capsaicin injection and, H955
- Heterogeneity, microvascular, cremaster muscle (hamster), H211
- Hindlimb, veins, aortic arch chemoreceptor stimulation effects, H1050
- Histamine
- active capacitance and, hepatic, H1000
 - plasma, hyperosmolar-induced vasodilation, H450
 - protein permeability and, lung and forelimb, H565
- Hydrolysis, sarcolemma, lysosomal lipases, H652
- 3-Hydroxybutyrate, pyruvate oxidation, adrenergic stimulation, myocardial (guinea pig), H30
- Hypercapnia
- cerebral vasodilation, atropine effects, H683
 - norepinephrine-induced injury, ventricular function after, H191
- Hyperemia
- absorptive, intestinal interstitial hyperosmolality, H785
 - free-flow functional, adenosine and, striated muscle (hamster), H688
 - reactive, gracilis muscle, H713
 - steady-state exercise, potassium and osmolality effects, H949
- Hyperinflation, carotid baroreflexes, positive end-expiratory pressure and, H470
- Hyperosmolality, intestinal interstitial, sodium-induced, absorptive hyperemia, H785
- Hypertension
- desoxycorticosterone and salt, vasopressin and neurogenic mechanism during, H37
 - desoxycorticosterone-salt, baroreflexes and vasopressin in, H44
 - hypertrophy, myocardial contractile behavior after, H882
 - myocardial cell hypertrophy, catecholamines and, H1015
 - pulmonary
 - membrane properties, smooth muscle cells, H907
 - monocrotaline effects, H573
 - renal
 - arterial wall changes, H477
 - interstitial fluid dynamics, awake state, H376
 - spontaneous
 - arteriovenous shunts and, H722
 - cell sodium components, vascular smooth muscle, H751
 - erythrocyte and plasma distribution, cremaster muscle, H381

- renal vascular resistance in, H961
 - therapy effects, cardiac performance, H776
 - vasopressin and, brain, H496
 - Hypertrophy**
 - cardiac
 - arteriovenous shunt, H722
 - load dependence during, H855
 - therapy effects, H776
 - hypertensive, myocardial contractile behavior after, H882
 - myocardial cell, catecholamines and, H1015
 - overload, left ventricular performance during, H611
 - right ventricular, monocrotaline effects, H573
 - smooth muscle, pulmonary hypertension, H907
 - Hypoperfusion**
 - uterine, aortic denervation, fetal (lamb), H916
 - uterine blood flow, pregnancy (sheep), H297
 - Hypothalamus**, vasopressin content, spontaneous hypertension, H496
 - Hypothermia**, calcium uptake, vascular smooth muscle, H797
 - Hypoxemia**
 - arterial, platelet aggregation and, lung (sheep), H645
 - metabolism, myocardial, fetus (sheep), H657
 - Hypoxia**
 - adenosine and, striated muscle (hamster), H688
 - fetal, aortic denervation (lamb), H916
 - membrane properties, smooth muscle cells, pulmonary hypertension, H907
 - metabolism, myocardial, fetus (sheep), H657
 - myocardial, renin release inhibition, H107
 - tissue calcium ion gain, reoxygenation and, myocardium, H437
- I**
- Ibuprofen, lung lobes, H745
 - Imaging, nuclear magnetic resonance, cardiac and skeletal muscle, H729
 - γ -Immunoglobulin G
 - excluded volume
 - increased venous pressure and, skin, H1038
 - increased venous pressure and, muscle, H1044
 - Impedance**
 - pulmonary, optimum load and, right ventricle, H154
 - pulmonary artery, blood volume changes and, H197
 - Indicator-dilution technique, potassium and strontium exchange, bone, H705
 - Indomethacin**
 - hyperosmolar-induced vasodilation, H450
 - pial arterioles and, H629
 - Infant: *see* Neonate; Newborn
 - Infarction**
 - myocardial
 - DNA synthesis and, awake state, H1031
 - microsphere loss and, H392
 - size and risk area relations, H867
 - Injection site, microspheres, blood flow determination, coronary, H94

- Inorganic phosphate, cardiac function and, H79
- Inotropic agents, comparative response, developing myocardium, H13
- Inotropisms, rate, myocardial, neonatal, H834
- Inotropy, heart: *see* Muscle, heart
- Insulin, diabetes-induced inhibition of contractility and, heart, H490
- Interstitial fluid: *see* Fluid
- Intestines**
 - autoregulation, pulsatile pressure and metabolic rate effects, H769
 - interstitial hyperosmolality, sodium-induced, absorptive hyperemia, H785
 - oxygen consumption, fetal (lamb), H50
 - transvascular fluid balance, sepsis, H557
- Ions, exchange, inorganic phosphate effects, heart, H79
- Ischemia**
 - acute regional, pressure effects, subepicardium and subendocardium, H240
 - cerebral, microsphere method of measurement (gerbil), H990
 - myocardial
 - blood flow, dexamethasone effects, H55
 - cholesterol content and membrane properties (pig), H254
 - magnesium effects, species differences (rat, rabbit), H89
 - mechanical function in, newborn, H1077
 - potassium accumulation during, heart, H619
 - pulmonary and coronary endothelial effects, H337
 - myocardial function during, H980
 - myocardial nucleotide depletion after, open chest, H818
 - on-line mapping, heart, H526
 - sarcolemma, hydrolysis of, lysosomal lipases, H652
 - Isochrone maps, activation sequence, atrial, H421
 - Isometric contraction: *see* Muscle
 - Isoproterenol**
 - arterial smooth muscle relaxation, coronary, H177
 - calcium uptake and, vascular smooth muscle, H797
 - cardiac action potentials, low-calcium solution (frog), H827
 - comparative response, developing myocardium, H13
 - myocardial dysfunction, coronary stenosis and, H260
 - ventricular contraction and, theophylline effects, H349
 - Isotonic contraction: *see* Muscle
 - Isotopes**
 - bone-seeking, potassium and strontium exchange, H705
 - clearance, tilting effects, H161

J

 - Jejunum, transcapillary fluid, protein movement and, H227
 - Junction, neuromuscular, diltiazem effects, mesenteric artery, H325

K

 - Kallikrein, immunoreactive glandular, plasma, H602

- Kallikrein-kinin system, blood flow, submandibular gland, H1010
- Kidney**
 - blood flow: *see* Blood flow
 - hypertension
 - arterial wall changes during, H477
 - interstitial fluid dynamics, awake state, H376
 - kallikrein, plasma, radioimmunoassay for, H602
- Kinase isozymes, arterial smooth muscle relaxation, coronary, H177
- Kinetics: *see* specific subject and site
- Kinin, uteroplacental blood flow regulation, pregnancy, H142
- Kinase II, blood flow and, submandibular gland, H1010

L

- Lamina, external, barium effects, calcium paradox, H203
- Lipase, lysosomal, hydrolysis of sarcolemma by, H652
- Lipids**
 - sarcolemmal, hydrolysis of, lysosomal lipases, H652
 - triacylglycerol metabolism and, diabetes, heart, H1084
- Liver**
 - active capacitance responses, neural and humoral stimuli, H1000
 - blood flow, hemorrhage effects, fetus (lamb), H543
 - cardiovascular depression, capsaicin injection and, H955
- Load**
 - dependence, relaxation during heart failure, H855
 - optimum, right ventricle, H154
- Loading, relaxation, papillary muscle, H303
- Lung**
 - fluid: *see* Fluid
 - lobe, permeability, histamine effects, H565
 - lymph, myocardial ischemia and, H337
 - monocrotaline effects, pneumotoxicity and thrombocytopenia, H573
 - norepinephrine extraction, flow dependence of, H844
 - permeability: *see* Permeability
 - thromboxane generation, regional blood flow, bypass (sheep), H462
 - Lung lobe, prostacyclin effects, H745
- Lymph**
 - cardiac, myocardial ischemia and, H337
 - flow, pulmonary, platelet aggregation and (sheep), H645
 - protein concentration
 - venous pressure and, lymph, H1044
 - venous pressure and, skin, H1038
- Lysophosphatidylcholine, sodium-potassium-ATPase activity and, cardiac sarcolemma, H456

M

- Macromolecular transport, pulmonary endothelium, model, H882
- Macrovascular variables, research, gracilis muscle, H713
- Magnesium, ischemia and, heart, species differences (rat, rabbit), H89
- Mapping, on-line, cardiac, H526
- Maturation: *see also* Development
 - alterations in mechanical properties, papillary muscle, H359

- Membrane**
potentials: *see* Potentials
properties, smooth muscle cells,
pulmonary artery, H900, H907
- Mesenteric artery, diltiazem effects,**
smooth muscles and neuromuscular
junction, H325
- Metabolic rate, pulsatile pressure and,**
intestinal autoregulation, H769
- Metabolic regulation, blood flow, coronary,**
adenosine and, conscious exercise,
H24
- Metabolism: *see also* specific subject and
site**
ammonia, myocardial, H536
- Methoxamine hydrochloride, α -
adrenoceptor stimulation with,**
myocardial response (lamb), H405
- Methylene blue, histamine effects, lung
and forelimb permeability, H565**
- Microcirculation: *see also* Blood flow;**
Circulation
adenosine and, striated muscle
(hamster), H688
cerebral, fatty acids and cyclooxygenase
effects, H629
erythrocyte and plasma distribution,
spontaneously hypertensive
cremaster muscle, H381
fluid exchange, intestinal muscle, H268
myocardial, capillary density during,
H133
tetrodotoxin effects, vascular smooth
muscle, H967
- Microcomputer, signal averager,
spontaneous signals, H291**
- Microspheres**
acute and chronic loss, left ventricular
myocardium, H392
blood flow, coronary, H94
chondroosseous blood flow, tibia and
femur, H365
hypercapnia, cholinergic nerves during,
H683
radiolabeled
carbon dioxide tension, cerebral blood
flow and, fetal, newborn and adult
(sheep), H862
myocardial infarction, H867
myocardial ischemia and function,
H260
regional blood flow measurement
(gerbil), H990
venous return, hemorrhage effects,
umbilical, fetus (lamb), H543
radionuclide-labeled, oxygen
consumption, intestinal, fetal (lamb),
H50
- Microvascular variables, research, gracilis
muscle, H713**
- Microvessels, cremaster muscle,
erythrocyte and plasma distribution,
spontaneous hypertension, H381**
- Mitochondria**
calcium ion uptake, reoxygenation,
hypoxia, myocardium, H437
cholesterol content and membrane
properties, myocardial ischemia
(pig), H254
- Mitochondrial membrane, cholesterol
content, myocardial ischemia (pig),
H254**
- Mitral valve, fluid dynamics in, model,
H1095**
- Mitral valve prolapse syndrome,
mathematical model, H1095**
- Models**
branched elastic transparent vessels,
H122
cardiac performance, atrial pacemaker
activity, H98
cardiovascular reflexes, liver, H955
chronic reduction, blood flow, uterine,
pregnancy (sheep), H297
colloid osmotic pressure, hindlimb, H512
equilibrium equations, myocardial stress,
H875
macromolecular transport, lung
endothelium, H882
mathematical, fluid dynamics, mitral
valve, H1095
on-line mapping, heart, H526
positron-emitting tracers, beta probe,
H62
pressure signal multiplexer, H288
sarcomere length control, striated
muscle, H411
sarcomere length measurement, cardiac
cells, H68
signal averager, spontaneous signals,
H291
tissue volume change, monitoring device,
H698
transcapillary fluid, protein movement
and, H227
- Monocrotaline**
membrane properties, smooth muscle
cells, pulmonary hypertension, H907
single injection, pneumotoxicity and
thrombocytopenia, H573
- Multiplexer, pressure signal, single
oscilloscope channel, H288**
- Muscle**
energetics, Fenn effect, H1
intestinal, fluid exchange across single
capillaries, H268
isotonic and isometric contractions, Fenn
effect, H1
length, relaxation, H303
protein exclusion, increased venous
pressure and, H1044
striated
adenosine and exercise hyperemia
(hamster), H688
sarcomere length control in, H411
- Muscle, heart**
aging, H927
contractility, diabetes-induced inhibition,
insulin effects, H490
contractility, hypertensive hypertrophy
and, H882
contractility indices, endotoxic shock,
H172
contraction
inorganic phosphate effects, H79
theophylline inhibition of, H349
contraction force, maturation, H359
energetics, Fenn effect, H1
fluid dynamics, mathematical model,
H1095
inotropic effects, α -adrenoceptor
stimulation (lamb), H405
inotropy, aortic insufficiency and, H973
loading determinants, relaxation, H303
mechanics
maturation, H359
sarcomere length control, H411
phosphorus nuclear magnetic resonance
spectroscopy, H729
relaxation, loading determinants of,
H303
sarcomere length measurement, cardiac
cells, H68
- Muscle, skeletal**
energetics, Fenn effect, H1
phosphorus nuclear magnetic resonance
spectroscopy, H729
tilting effects, H161
- Muscle, smooth**
arterial coronary, protein kinase in, H177
diltiazem effects, mesenteric artery,
H325
pulmonary, impedance, blood volume
effects, H197
pulmonary vascular, mechanics and
composition, H245
vascular
calcium uptake, adenosine effects,
H797
cell sodium components, H751
membrane potentials, tetrodotoxin
effects, H967
protein kinase in, H177
- Muscle cells, smooth, membrane
properties, pulmonary artery, H900,
H907**
- Myocardial cells: *see also* Cardiac cells;**
Heart cells
defibrillator-induced damage, safety
factor for, H662
- Myocardial infarction: *see* Infarction**
- Myocardium**
 α -adrenoceptor stimulation and,
methoxamine hydrochloride (lamb),
H405
age changes, inotropic agent effects, H13
aging, review of, H927
ammonia, extraction and clearance,
H536
contractile behavior, hypertensive
hypertrophy, H882
depression, endotoxic shock, H172
diastolic stiffness, left ventricular
hypertrophy, H633
excitation-contraction coupling,
neonatal, H834
extracellular marker, cobaltic EDTA,
H671
function, ischemia effects, newborn,
H1077
function and metabolism, coronary
artery occlusion and, H980
hypoxia, reoxygenation after, tissue
calcium ion exchange and, H437
infarct size, risk area and, relations, H867
ischemia, blood flow, dexamethasone
effects, H55
ischemia: *see* Ischemia
isoproterenol-induced dysfunction,
coronary stenosis and, H260
left ventricular, microsphere loss from,
H392
metabolism, positron-emitting tracers,
H62
nucleotide depletion, brief ischemia,
open chest, H818
oxygen
delivery, adrenergic control of,
exercise, awake state, H805
extraction, aortic constriction and,
H310
performance, maturation, papillary
muscle, H359
preservation, magnesium effects,
ischemia, species differences (rat,
rabbit), H89
pyruvate oxidation, energy-linked
changes, adrenergic stimulation

- (guinea pig), H30
 radiotracer kinetics, regional, H849
 stress, estimation of, H875
 timed plasma staining, capillary density during, H133
- Myocytes**
 cardiac, sodium-potassium-ATPase activity, fatty acid effects, H456
 contracture, anaerobic to aerobic transition and, H1022
- Myogenic response, calcium-dependent contractile activation, cerebral artery, H760**
- Myoglobin, oxygenation, coronary artery occlusion, H980**
- N**
- Neck, suction, carotid baroreceptor stimuli, H638**
- Neonate: see also Newborn**
 chondroosseous circulation, tibia and femur, H365
 excitation-contraction coupling, myocardial, H834
- Nephrectomy, uteroplacental blood flow, pregnancy, H142**
- Neural control, reflex cardiovascular changes, veratridine and, awake state, H810**
- Neurogenic mechanisms, interaction, desoxycorticosterone and salt hypertension, H37**
- Neuromuscular junction: see Junction**
- Neuromuscular transmission, diltiazem effects, mesenteric artery, H325**
- Neurons, adrenal medulla, epinephrine uptake, H593**
- Neurotransmitters, epinephrine, adrenal medulla, H593**
- Newborn: see also Neonate**
 carbon dioxide tension, cerebral blood flow and (sheep), H862
 ischemia effects, myocardium, H1077
- Noninvasive measurement, blood pressure (swine), H127**
- Norepinephrine**
 calcium uptake and, vascular smooth muscle, H797
 cardiomyopathic injury, ventricular function after, H191
 extraction, flow dependence of, lung, H844
 pyruvate oxidation, adrenergic stimulation, myocardial (guinea pig), H30
 regulation of level of, synaptic cleft, vascular tissue, H233
 vasopressin and neurogenic mechanism interaction, hypertension, H37
- Nucleotides, depletion, myocardial, brief ischemia, open chest, H818**
- Nucleotides, cyclic, arterial smooth muscle relaxation, coronary, H177**
- O**
- Oligomycin, cardiac function and, H79**
- O-Methylation, flow dependence, lung, H844**
- Oncotic pressure: see Pressure**
- Open-loop gain, carotid sinus baroreflex, vagotomy and, H580**
- Oscilloscope, single channel, pressure signal multiplexer, H288**
- Osmolality, steady-state exercise hyperemia, H949**

- Osmolality, sarcomere length measurement, cardiac cells, H68**
- Osteogenesis, chondroosseous blood flow, regional, H365**
- Ouabain, membrane properties, smooth muscle cells, pulmonary artery, H900**
- Oxidation, pyruvate, adrenergic stimulation, perfused heart (guinea pig), H30**
- Oxygen**
 blood, postnatal regulation of erythrocytes, H500
 consumption
 cerebral, carbon dioxide tension and, fetal, newborn and adult (sheep), H862
 intestinal, fetal (lamb), H50
 myocardial, adenosine and, exercise, H24
 potassium and osmolality effects, H949
 pressure load vs. volume load, heart, H942
 pulsatile pressure and metabolic rate effects, intestinal, H769
- delivery**
 adrenergic control of, myocardium, exercise, awake state, H805
 postnatal regulation of, erythrocyte metabolism, H500
 umbilical, hemorrhage effects, fetus (lamb), H543
- extraction, myocardial, aortic constriction and, H310**
- myocardial, hypoxemia, fetus (sheep), H657**
- paradox, heart cell contracture and, H1022**
- supply, cremaster muscle (hamster), H211**
- Oxygenation**
 myocardial, hypoxemia and, fetus (sheep), H657
 oxygen consumption, intestinal, fetal (lamb), H50

P

- Pacemaker**
 activity, atrial, H98
 ventricular, epinephrine effects, H677
- Palmitate, ¹⁴C-labeled, positron-emitting tracers, myocardial metabolism, H62**
- Pancreas, kallikrein, plasma, radioimmunoassay for, H602**
- Papillary muscle: see Muscle, heart**
- Parasympathetic nervous system**
 sinus node response, carotid baroreceptor stimuli, H638
 transients, baroreflex modulation, H185
- Perfluorochemical emulsion, isolated working heart, H485**
- Perfusion, constant-flow, monitoring device, tissue volume, H698**
- Permeability**
 calcium, barium effects, H203
 ion, smooth muscle cells, pulmonary hypertension, H907
 protein, histamine effects, lung and forelimb, H565
 pulmonary endothelial, platelet aggregation and (sheep), H645
 vascular, myocardial ischemia and, H337
- Phasic responses, glucagon effects, cardiac chronotropic response, H7**
- Phentolamine**
 α -adrenoceptor stimulation, myocardial response (lamb), H405
- oxygen delivery and, myocardium, exercise, awake state, H805**
- pacemakers, ventricular, H677**
- Phenylephrine**
 diabetes-induced inhibition of contractility and, heart, H490
 pressor response to, desoxycorticosterone-salt hypertension, H44
- Phosphate, inorganic: see Inorganic phosphate**
- Phosphates, high-energy, ischemia effects, myocardium, newborn, H1077**
- Phospholipase A, sarcolemma, hydrolysis of, H652**
- Phosphorus, nuclear magnetic resonance spectroscopy, cardiac and skeletal muscles, H729**
- Pituitary gland, vasopressin content, spontaneous hypertension, H496**
- Placenta: see also Fetus; Pregnancy**
 transfer, uterine blood flow and (ewe), H429
- Plasma**
 constituents: see specific constituent distribution, spontaneously hypertensive cremaster muscle, H381
 timed staining, capillary density, myocardium, H133
- Platelets**
 aggregation
 adenosine diphosphate-induced, lung fluid balance and (sheep), H645
 verapamil effects, H19
 prostacyclin effects, lung lobes, H745
- Plethysmography, tissue volume change, monitoring device, H698**
- Pneumotoxicity, monocrotaline and, H573**
- Positive end-expiratory pressure: see Pressure**
- Postextrasystolic potentiation, excitation-contraction coupling, myocardial, neonatal, H834**
- Posture, tilting effects, adipose tissue vascular resistance, H161**
- Potassium**
 contracture, diabetes-induced inhibition, heart, H490
 extracellular accumulation, myocardial ischemia, heart, H619
 inorganic phosphate effects, cardiac function, H79
 steady-state exercise hyperemia, H949
 strontium exchange, bone, H705
- Potassium ions**
 arrest, carnitine transport, heart, H585
 membrane properties, smooth muscle cells, pulmonary artery, H900
- Potentials**
 action
 cardiac, intracellular recordings, H1115
 cardiac, low-calcium solution (frog), H827
- membrane**
 pulmonary artery, H900
 tetrodotoxin effects, vascular smooth muscle, H967
 takeoff, intracellular recordings, H1115
- Pregnancy: see also Fetus; Placenta**
 uterine blood flow, chronic reduction of (sheep), H297
 uteroplacental blood flow during, kinins and, H142
- Pressor responses, baroreflexes and vasopressin, desoxycorticosterone-salt hypertension, H44**

Pressure: *see also* Blood pressure
 acute regional ischemia and,
 subepicardium and subendocardium,
 H240
 arterial
 aortic nerve stimulation and, H790
 atrial stretch effects, H1056
 carotid sinus baroreflex, vagotomy
 and, H580
 atrial, left, stretch effects, awake state,
 H1065
 capillary, intestinal muscle, H268
 colloid osmotic, isogravimetric hindlimb,
 H512
 end-diastolic, ventricular dimensions,
 H549
 fall, left ventricular, H131
 intramyocardial, acute regional ischemia,
 H240
 measurements, signal multiplexer, H288
 oncotic, plasma, transcappillary fluid,
 protein transport and, H227
 overload
 left ventricular hypertrophy, H633
 left ventricular performance during,
 H611
 therapy effects, cardiac performance,
 H776
 positive end-expiratory
 carotid baroreflex effects, H470
 ventilation, ventricular dimensions
 during, H549
 pulsatile, metabolic rate and, intestinal
 autoregulation, H769
 pulse, blood volume effects, H197
 regulaton, tissue volume, monitoring
 device, H698
 tissue, renal hypertension, awake state,
 H376
 venous
 central, atrial stretch effects,
 denervated heart, H1056
 protein exclusion, muscle, H1044
 protein exclusion, skin, H1038
 Pressure load, oxygen consumption rate
 and, heart, H942
 Pressure-volume relations
 oxygen consumption rate and, heart,
 H942
 planimetric measurement of carotid
 sinus deformation, H921
 Propranolol, pacemakers, ventricular, H677
 Prostacyclin
 adverse effects of, lung lobes, H745
 regional blood flow and, bypass, lung
 (sheep), H462
 Prostaglandins
 ischemia, myocardial, H337
 uteroplacental blood flow, pregnancy,
 H142
 Protease, plasma inhibitors,
 radioimmunoassay for, H602
 Protein
 circulating, pulmonary endothelium,
 H882
 contractile activity, myocardial, H882
 movement, transcappillary fluid and,
 H227
 permeability, histamine effects, lung and
 forelimb, H565
 release, calcium accumulation and,
 barium effects, H203
 Protein kinase, arterial smooth muscle
 relaxation, coronary, H177
 Pulmonary artery
 impedance, blood volume effects, H197

mechanics and composition, extra- and
 intralobar, H245
 norepinephrine levels, synaptic cleft,
 H233
 smooth muscle cells, membrane
 properties of, H900, H907
 Pulmonary endothelium, ischemia, acute
 myocardial, H337
 Pulmonary impedance: *see* Impedance
 Pump
 efficiency, right ventricle, H154
 sodium, smooth muscle cells, pulmonary
 hypertension, H907
 Pyrrolizidine alkaloids, single injection,
 pneumotoxicity and
 thrombocytopenia, H573
 Pyruvate, oxidation, adrenergic
 stimulation, perfused heart (guinea
 pig), H30
 Pyruvate kinase, erythrocyte metabolism,
 postnatal regulation of, H500

Q

QRS, duration measurement, high-
 frequency electrocardiography, H507

R

Radiation detectors, radiotracer kinetics,
 regional myocardial, H849
 Radioimmunoassay
 immunoreactive glandular kallikrein,
 plasma, H602
 vasopressin content, spontaneous
 hypertension, brain, H496
 Radiotracer, kinetics, regional myocardial,
 H849
 Receptors
 adrenergic, oxygen delivery,
 myocardium, exercise, awake state,
 H805
 α -adrenergic, platelet, verapamil
 interaction, H19
 α -adrenoceptor, myocardial responses to
 (lamb), H405
 atrial
 renal blood flow and, H220
 stretch effects, awake state, H1065
 stretch effects, heart, H1056
 baroreceptors
 adaptation, carotid sinus deformation,
 H921
 aortic, blood flow and pressure change
 effects, H520
 atrial, denervation, fetal (lamb), H916
 carotid, modulation of sympathetic
 outflow, H185
 carotid, sinus node responses to
 stimuli, H638
 renal blood flow and, H220
 chemoreceptors
 aortic arch, hindlimb veins, H1050
 atrial, denervation, fetal (lamb), H916
 liver, capsaicin injection and, H955
 mechanoreceptors, cardiopulmonary,
 positive end-expiratory pressure
 and, H470
 muscarinic, cholinergic nerves during
 hypercapnia, H683
 pulmonary, stretch effects, awake state,
 H1065
 Red blood cells: *see* Erythrocytes
 Reflexes
 atrial vs. pulmonary stretch receptors,
 awake state, H1065
 baroreceptor, tilting effects, H161

baroreflex
 carotid, positive end-expiratory
 pressure, H470
 carotid sinus, vagotomy and, H580
 modulation of sympathetic outflow,
 H185
 pressor response to,
 desoxycorticosterone-salt
 hypertension, H44
 sinus node response, H638
 Bezold-Jarisch, cardiovascular changes,
 veratridine, awake state, H810
 cardiorenal, coronary occlusion, H107
 cardiovascular
 aortic arch, chemoreceptor stimulation
 and, H1050
 blood volume effects, H197
 cardiovascular depression, capsaicin
 injection and, liver, H955
 excitatory, epicardial bradykinin effects,
 cardiac sympathetic afferents, H148
 inhibitory, epicardial bradykinin effects,
 cardiac sympathetic afferents, H148
 sinus-ganglion, H168
 Relaxation, isometric-isotonic, loading
 determinants, papillary muscle,
 H303
 Renal artery, constriction, hypertensive
 hypertrophy, H882
 Renal nerves, epicardial bradykinin effects,
 heart, H148
 Renin
 atrial stretch effects, heart, H1056
 reflexes, atrial vs. pulmonary stretch,
 H1065
 release, inhibition of, coronary occlusion,
 H107
 Renin-angiotensin system, uteroplacental
 blood flow, pregnancy, H142
 Reoxygenation, calcium ion gain and,
 hypoxia, myocardium, H437
 Reperfusion, dexamethasone and, ischemic
 myocardium, H55
 Resistance
 coronary, adenosine and, conscious
 exercise, H24
 coronary extravascular, acute regional
 ischemia and, H240
 hepatic, active capacitance and, H1000
 peripheral, atrial vs. pulmonary stretch,
 H1065
 vascular
 adipose tissue, tilting effects, H161
 hypertension, hindquarter, H37
 renal, spontaneous hypertension, H961
 systemic, antihistamine and
 indomethacin effects, H450
 Reticuloendothelial function, fibronectin
 effects, bacteremia, H557
 Rhythm, idioventricular, epinephrine
 effects, heart, H677

S

Salivary glands, blood flow in, kallikrein-
 kinin system and, H1010
 Salt
 hypertension
 baroreflexes and vasopressin in, H44
 vasopressin and neurogenic
 mechanism interaction during, H37
 Saphenous vein, norepinephrine levels,
 synaptic cleft, H233
 Sarcolemma
 cardiac, sodium-potassium-ATPase
 activity, fatty acid effects, H456

hydrolysis of, lysosomal lipases, H652
 Sarcomere
 direct measurement of length, cardiac cells, H68
 length control, striated muscle, H411
 Sarcoplasmic reticulum
 load dependence, heart failure, H855
 myocardium, neonatal, H834
 Sepsis, transvascular fluid balance during, fibronectin effects, intestines, H557
 Septum
 interventricular
 ammonia extraction and clearance, H536
 extracellular marker, heart, H671
 Serine protease, plasma, radioimmunoassay for, H602
 Shock, endotoxic, left ventricular performance, H172
 Shunt: *see also* Bypass
 arteriovenous, spontaneous hypertension and, H722
 Signal averager, dual channel, spontaneous signals, H291
 Sinoatrial node, excision, atrial pacemaker activity, H98
 Sinus node, responses, carotid baroreceptor stimuli, H638
 Skin, protein exclusion, increased venous pressure and, H1038
 Sodium
 cell components, vascular smooth muscle, H751
 excretion
 atrial stretch effects, H1056
 atrial vs. pulmonary stretch, H1065
 inorganic phosphate effects, cardiac function, H79
 intestinal interstitial hyperosmolality, absorptive hyperemia, H785
 pump: *see* Pump
 Sodium cyanide, sinoaortic denervation, in utero, fetal (lamb), H916
 Sodium ions, membrane properties, smooth muscle cells, pulmonary artery, H900
 Sodium-potassium-ATPase, fatty acid intermediate effects, cardiac sarcolemma, H456
 Species differences, magnesium effects, ischemic heart, species differences (rat, rabbit), H89
 Spectroscopy, phosphorus nuclear magnetic resonance, cardiac and skeletal muscles, H729
 Sphingomyelinase, sarcolemma, hydrolysis of, H652
 Starling's hypothesis, fluid exchange, single capillaries, intestinal muscle, H268
 Stenosis, coronary, isoproterenol-induced myocardial dysfunction and, H260
 Stiffness, diastolic, left ventricular hypertrophy and, myocardial, H633
 Stimulation
 carotid baroreceptor, sinus node response to, H638
 sustained paired, developing myocardium, H13
 Streptozotocin, diabetes-induced inhibition of contractility and, heart, H490
 Stress
 diastolic stiffness, left ventricular hypertrophy, myocardial, H633
 myocardial, estimation of, H875

Stretch, activation, cerebral artery, H760
 Striation patterns, sarcomere length measurement, cardiac cells, H68
 Stroke work, heart, pressure load vs. volume load, H942
 Strontium, potassium exchange, bone, H705
 Subendocardium, acute regional ischemia, pressure effects, H240
 Subepicardium, acute regional ischemia, pressure effects, H240
 Submandibular gland
 blood flow in, kallikrein-kinin system and, H1010
 kallikrein, plasma, radioimmunoassay for, H602
 Sucrose, extracellular marker, heart, H671
 Sulfhydryl agents, carnitine transport, heart, H585
 Sympathectomy
 cardiac hypertrophy, catecholamine effects, hypertension, H1015
 lumbar, vasopressin and, H37
 Sympathetic afferents, cardiac, epicardial bradykinin effects, H148
 Sympathetic nerve, stimulation, active capacitance and, hepatic, H1000
 Sympathetic nervous system
 activity, tilting effects, H161
 tetrodotoxin effects, vascular smooth muscle, H967
 transients, baroreflex modulation, H185
 Sympathetic-parasympathetic interaction, glucagon effects, cardiac chronotropic response, H7
 Synaptic cleft, norepinephrine levels in, vascular tissue, H233

T

Tetraethylammonium, effects, pulmonary artery membrane properties, H900
 Tetrodotoxin, membrane potentials and, vascular smooth muscle, H967
 Thallium-201, kinetics, regional myocardial, H849
 Theophylline, inhibition, ventricular contraction, H349
 Therapy, cardiac performance and, spontaneous hypertension, H776
 Thermoregulation, arteriolar vasoconstriction and, cremaster muscle, H996
 Thrombocytopenia, monocrotaline and, H573
 Thromboxane
 generation, lung, blood flow during bypass (sheep), H462
 lung lobes, H745
 Thyrotoxicosis, awake state, left ventricular performance in (calf), H113
 Tibia, chondroosseous circulation, regional, H365
 Tilting: *see* Posture
 Tissue: *see also* specific type and site
 calcium ion exchange, reoxygenation and, hypoxia, myocardium, H437
 pressure, renal hypertension, awake state, H376
 Tracellular water, arterial wall changes, renal hypertension, H477
 Tracers, positron-emitting, beta probe and, myocardial metabolism, H62
 Transcapillary exchange, intestinal muscle, H268

Triacylglycerol lipase, sarcolemma, hydrolysis of, H652
 Triacylglycerol, metabolism, diabetes and, heart, H1084

U

Uterus
 blood flow
 chronic reduction, pregnancy (sheep), H297
 placental transfer as a function of (ewe), H429
 sinoaortic denervation, fetal (lamb), H916

V

Vagal afferents
 reflex cardiovascular changes, veratridine and, awake state, H810
 renin release, coronary occlusion, H107
 Vagotomy, aortic constriction and, myocardial oxygen extraction, H310
 Vagus nerve
 cervical, carotid sinus pressure, renal blood flow and, H220
 stimulation, glucagon effects, cardiac chronotropic response, H7
 Vascular compromise, uterine, model, H297
 Vascular contractility: *see* Muscle, heart
 Vascular resistance: *see* Resistance
 Vascular tissue, synaptic cleft, norepinephrine levels and, H233
 Vasoconstriction
 adrenergic coronary, exercise, awake state, H805
 arteriolar, heat stress and, cremaster muscle, H996
 bypass, lung thromboxane effects (sheep), H462
 cerebral, fatty acids and cyclooxygenase, H629
 vasopressin effects, hypertension, H37
 Vasodilation
 β -adrenergic, epinephrine, adrenal medulla, H593
 cerebral, atropine effects, hypercapnia, H683
 hyperosmolar-induced, antihistamines and indomethacin effects, H450
 parasympathetic coronary, myocardial oxygen extraction and, H310
 vasopressin effects, hypertension, H37
 Vasopressin
 antagonist, anesthesia (chicken), H314
 atrial stretch effects, heart, H1056
 interaction, desoxycorticosterone and salt hypertension, H37
 pressor response to, desoxycorticosterone-salt hypertension, H44
 reflexes, atrial vs. pulmonary stretch, H1065
 spontaneous hypertension, brain, H496
 Veins
 cutaneous, aortic arch, chemoreceptor stimulation and, H1050
 vascular smooth muscle, tetrodotoxin effects, H967
 Venoconstriction, hepatic, active capacitance, H1000
 Venous return, umbilical, hemorrhage effects, fetus (lamb), H543
 Ventilation, positive-pressure, ventricular dimensions during, H549
 Ventricles: *see* Brain ventricles; Heart ventricles

H1132

Venules, spontaneous hypertension and, cremaster muscle, H381

Verapamil

calcium uptake and, vascular smooth muscle, H797

cardiac action potentials, low-calcium solution (frog), H827

interaction, platelet α -adrenergic receptors and, H19

Vessel, branched elastic transparent, model, H122

Volume

end-diastolic, ventricular dimensions, H549

extracellular, heart, H671

interstitial, change, monitoring device, H698

overload, ventricular adaptation to, H973

planimetric measurement of, carotid sinus deformation, H921

protein exclusion

venous pressure and, muscle, H1044

SUBJECT INDEX TO VOLUME 11

venous pressure and, skin, H1038

tissue, change, monitoring device, H698

Volume expansion, blood, left atrial stretch effects, heart, H1056

Volume load, oxygen consumption rate and, heart, H942

W

Waveforms, defibrillator, safety factor for, heart cells, H662

